

# Wakka Formatting Guide

## Text Formatting

**Contents** [Basic Formatting](#)[Links](#)[Headlines](#)[Bulleted and Numbered Lists](#)[Tables](#)[Miscellaneous](#)[Macros](#)[Table of Contents](#)[Extensions - additional formatters](#)

Wacko text formatting is slightly different from other Wikis, so you should read the examples below.

You can experiment with formatting in the [Sand Box](#).

Text enclosed in pairs of double quotes is not formatted and remains unchanged when displayed.

## Basic Formatting

**\*\*bold\*\***

**bold**

*//italic//*

*italic*

\_\_underline\_\_

underline

~~--strikethrough--~~

strikethrough

##monospace (10) text##

monospace (10) text

&gt;&gt;centered&lt;&lt;

centered

!!note!! (also "note",  
but it is better not to use it).

note

??red (emphasis)??

red (emphasis)

%%Embed code%%

```
int main(int argc,char **argv) { printf("Hello, %s!\n", (argc>1) ? argv[1] : "World");  
return 0; }
```

## Links

[[<http://www.webscript.ru>]] or ((<http://www.webscript.ru>))

<http://www.webscript.ru>

[[<http://www.webscript.ru> Webscript]] or ((<http://www.webscript.ru> Webscript))

[Webscript](#)

[[Clusters]] or ((Clusters))

[Clusters?](#)

[[Clusters The page about clusters]]

or ((Clusters The page about clusters))

The page about clusters?

<http://www.ya.ru> is highlighted automatically.

<http://www.ya.ru>

<http://www.yandex.ru/logo1.gif>

Image with no link.

((/HomePage <http://www.yandex.ru/logo1.gif>))

Image with a link.

{{a name=&quot;test&quot;}} or {{anchor name=&quot;test&quot;}}  
anchor declaration.

((#test)) or ((/HomePage#TOC\_1))  
anchor reference.

[test](#) or [/HomePage#TOC\\_1](#)

<mailto:address@domain.com>  
email.

<mailto:address@domain.com>

<file:rindex.gif> or <file:Subpage/rindex.zip>

file uploads.

<file:rindex.gif>

<file:Subpage/rindex.zip>

**TODO:** Roman please upload two test files here.

**NB:** mixed case words (Like This?) do not need to be enclosed in brackets. For internal links (inside this Wiki), the complete URL should not be written (otherwise the link will not work). Add "http://" only for external links.

**NB:** To prevent a WordLikeThis from becoming a link, place a ~ (tilde) in front of it.

**NB:** You can also link to non Bumpy Text? words using: ((Clusters here)) = here?.

## Headlines

*Action source page doesn't exist yet(/Wacko Formatting / Headlines?)*

## Bulleted and Numbered Lists

Indent lists with tabs or double spaces, and use \*, 1., A., a., or i. to specify the type of list you want. This solves the Wakkawiki problem of needing to use tabs in a textarea  
- double spaces instead work better.

first line

indented line

first line indented line    \*bulleted list

\*bulleted list-2

bulleted list

bulleted list-2

1. numbered list

1. numbered list-2

numbered list

numbered list-2

A. using uppercase characters

A. using uppercase characters-2

using uppercase characters

using uppercase characters-2

a. using lowercase characters

a. using lowercase characters-2

using lowercase characters

using lowercase characters-2

i. using Roman numbers

i. using Roman numbers-2

using Roman numbers

using Roman numbers-2

## Tables

## Table with border

```
#|  
||cell11|cell12|cell13||  
||cell21|cell22||  
|#
```

cell11cell12cell13 cell21cell22

## Table without border, 100% width

```
#||  
||cell11|cell12|cell13||  
||cell21|cell22||  
|#
```

cell11cell12cell13 cell21cell22

## Miscellaneous

### Horizontal rule (separator):

----

### Forced line break:

test---shmet

test

shmet

### Text output "as-is" &mdash; ignoring markup

Text should be enclosed by a pair of double quotes. You can look at the source of this page for numerous examples.

### HTML output "as-is"

this works only if site the admin allows it.

&lt;# &lt;input type=&quot;text&quot;&gt; #&gt;

&lt;# &lt;input type="text"&gt; #&gt;

If you see &lt;input type=&quot;text&quot;&gt; instead of input field, site admin don't turn up this function (config file's parameter allow\_rawhtml. **NB**: it is very dangerous option, avoid XSS!).

### Superscript:

$E=mc^{2^2}$

$E=mc^2$

Please Note: there should be no spaces inside double  $^{}$  &mdash; this markup is provided for mathematics (sub-indexes) and since you should avoid spaces *inside* the block!!

### Subscript:

$H_{v^2}vO$

$H_2O$

Please Note: there should be no spaces inside double  $_v$  &mdash; this markup is provided for mathematics (sub-indexes) and since you should avoid spaces *inside* the block!!

## Macros

Macros are little shortcuts which automatically update the document you're writing with relevant variables such as your name and wikiname, the date of writing etc. Basically, they're just little text shortcuts.

### To automatically insert your name, use:

:::

RomanIvanov?

**Auto name and date:**

::@::

RomanIvanov? /20.06.2003 18:13/

**Date:**

::+::

20.06.2003 18:13

## Table of Contents

To make a table of contents entry, use

```
{{ToC}}
```

anything with a headline value will be listed with anchors to specific parts of your page.

**NB:** if you are using this with the 'include' plugin, but don't want the headers that you're pulling in from the include file to be listed in the generated table of contents, use the 'notoc' option like so:

```
{{Include file="WackoFormatting/Headlines" notoc="1"}}
```

### Extensions - additional formatters

Wacko Wiki? is easily extended with text formatters. They are called using syntax `%%(name) text%%`.

There are several formatters included in Wacko package: `%%(php) PHP-ä%%`  
&lt;?

```
phpinfo();
```

```
$s = "Hello, World!\n";
```

```
print "$s";
```

```
?&gt;
```

**UbS?**: attention: that code should begin with &lt;? and end with ?&gt;, because builtin PHP parser identifies PHP by those separators.

`%%(comments) Comments`, they will be hidden when the page is stored and redisplayed `%%`

```
%%(icq) ICQ Pro Logs%%
```

```
SomebodyHello14.05.20 14:52RomanYes, hello14.05.20 14:52SomebodyTesting  
blah blah28.06.20 2:25RomanYep28.06.20 2:25
```

There's also `icq_t` (Trillian), `icq_l` (ICQ Lite) and `icq_m` (Miranda IM + nConvers) formatters.

```
%%(email) Email%%
```

```
Hi! RI>> Yes, it is. >Are you sure? Of course, yes! Roman.
```

```
%%(sql) SQL-code%%
```

```
SELECT * FROM sometable WHERE a = '12' and b = 2 ORDER BY c DESC
```

[Category Help](#)